## **Orbital Bath Shaker**





## Digital Orbital Bath Shaker controlled by microprocessor.

- Bath Orbital shaker, suitable for medium size containers, Erlenmeyers flash, vessels, etc.
- Speed adjustable, controlled by microprocessor.
- Constant speed independently of the load.
- Smooth and progressive start and stop, independently of the selected speed.
- Mobile inner tank made of stainless steel AISI 304, and metallic housing with Epoxi paint of great resistance to aggressive surroundings.
- Double safety thermostat
- Digital Display LCD backlighted indicating the selected and actual speed, temperature and timer (with audible alarm).
- Membrane push-button control.
- Automatic restart after unexpected shut down keeping the same parameters as before the incident. An incident sign appears on the display.
- Quiet operation. Suitable for continuous running.

**Thermostatized Baths** 

oratory

Equipmo



**Thermostatized Baths** 

## **Technical Specifications:**

Model	OBS10-27	
Reference	30000-00161	
Tech.Data		
Max. Load (Kg)	10	
Total Power (W)	1650	
Type of movement	Orbital	
Amplitude (mm)	10	
Max. Speed (rpm)	50-150	
Resolution (rpm)	5	
Max Volume	271	
T <sup>a</sup> range (°C)	ambT <sup>a</sup> +5 – 100*	
Display Resolution (°C)	0,1	
General Data		
Tank material	Stainless steel AISI 304	
Inner Dimensions (cm)	35x26x17	
Protection IP	IP54	

Accessories	Reference	0
Cover of stainless steel		
For bath of 27L	20000-00110	
Universal support with 5 rollers		
* order with the instrument, mounted in factory		1 tir
For bath of 27L	20000-00142	
Support platform for erlenmeyer flasks		
For bath of 27L	20000-00132	
Erlenmeyers flash spring clip 50 ml. ( max 30u.)	20000-00046	
Erlenmeyers flash spring clip 100 ml. (max 20ud.)	20000-00047	
Erlenmeyers flash spring clip 250 ml. ( max 12ud.)	20000-00048	
Erlenmeyers flash spring clip 500 ml. ( max 9ud.)	20000-00049	
Erlenmeyers flash spring clip 1000 ml. ( max 6u/)	20000-00099	CA 22
Fastening springs (2) for vessels, flasks, etc	20000-00043	
Fastening springs (2) for vessels, hasks, etc	20000-00043	_